


EE FERRITE CORES

UNITS (mm)

SHAPES AND DIMENSIONS



DIMENSIONS OF MAIN PRODUCTIONS

ITEM	A	B	C	D	E	F
EE-5	5.25 +0.1	5.3+0.16	1.95+0.1	3.85+ 0.1	1.35+ 0.08	4± 0.16
EE-8.3	8.3± 0.2	8±0.2	3.5±0.2	6 ^{+0.3} ₋₀	2 ⁺⁰ _{-0.3}	6±0.2
EE-10	10±0.3	11±0.3	4.9 ⁺⁰ _{-0.3}	7.7 ^{+0.3} ₋₀	2.4±0.2	8.3±0.3
EE-10X3	10±0.3	10.2±0.3	3 ⁺⁰ _{-0.3}	7.1±0.3	3±0.2	7±0.3
EE-12.5	12.5±0.3	11.3±0.3	5±0.2	9.2 ^{+0.25} _{-0.15}	2.5 ^{+0.1} _{-0.2}	6.3±0.2
EEL-12.5	12.5±0.3	18±0.6	2.5 ⁺⁰ _{-0.4}	9.5±0.3	2.5±0.2	14±0.6
EE-12.6	12.6±0.3	8±0.2	6±0.3	10.1±0.3	3.18±0.15	5.8±0.2
EE-13	13±0.3	12±0.4	6.3 ⁺⁰ _{-0.3}	10.5±0.3	2.95 ⁺⁰ _{-0.4}	9.3±0.3
EE-13A	13±0.3	12.6±0.4	6.3 ⁺⁰ _{-0.4}	10.5±0.3	2.95 ⁺⁰ _{-0.4}	9.6±0.3
EE-16	16.25±0.35	14.5±0.4	5.1 ⁺⁰ _{-0.4}	12.4±0.3	4.2 ⁺⁰ _{-0.4}	10.3 ^{+0.4} ₋₀
EEL-16	16.25±0.35	24.9±0.4	5.1 ⁺⁰ _{-0.4}	12.4±0.3	4±0.2	20.5±0.4
EES-16	16±0.3	14.3±0.4	7 ⁺⁰ _{-0.4}	13±0.3	3.2 ⁺⁰ _{-0.4}	10.8 ^{+0.4} ₋₀
EE-19	19.2 ^{+0.5} _{-0.3}	16±0.4	5.1 ⁺⁰ _{-0.5}	14.5±0.3	5.1 ⁺⁰ _{-0.5}	11.3±0.3
EEL-19	19.2 ^{+0.5} _{-0.3}	27.2 ^{+0.5} _{-0.4}	5.1 ⁺⁰ _{-0.5}	14.5±0.3	5.1 ⁺⁰ _{-0.5}	22.6±0.4

EE FERRITE CORES

UNITS (mm)

ITEM	A	B	C	D	E	F
EE-20	20.3±0.4	16.8±0.4	4.8±0.2	15.7±0.4	4.8±0.2	12.4±0.4
EEL-20	20.3±0.4	29.2±0.5	4.8±0.2	15.7±0.4	4.8±0.2	24.8±0.4
EE-22	22±0.4	19.2±0.6	6 ⁺⁰ -0.5	16.5±0.3	6 ⁺⁰ -0.5	11±0.4
EEL-22	22±0.4	30.4±0.5	6 ⁺⁰ -0.5	16.5±0.3	6 ⁺⁰ -0.5	22±0.4
EE-25	25±0.4	20.±0.4	6.5±0.3	18.8±0.3	6.5±0.3	13.6±0.3
EE-25.4x6.35	25.4±0.5	19.2±0.4	6.35±0.3	19.5±0.5	6.25±0.25	13.1±0.4
EE-25.4x9.53	25.4±0.5	19.2±0.4	9.35±0.3	19.5±0.5	6.25±0.25	13.1±0.4
EE-25.4x12.7	25.4±0.5	19.2±0.4	12.7±0.4	19.5±0.5	6.25±0.25	13.1±0.4
EE-25.4x12.83	25.4±0.5	19.2±0.4	12.83±0.4	19±0.5	6.25±0.25	12.7±0.4
EEL-25.4	25.4±0.5	32.6±0.5	6.35±0.3	19.5±0.5	6.25±0.25	26.4±0.5
EEL-26.4	26.4±0.5	32.4±0.6	6.3±0.3	20.4±0.5	4±0.3	26±0.4
EE-28	28±0.5	21.5±0.5	11 ⁺⁰ -0.5	19.1±0.3	7.2±0.3	12.5±0.3
EE-30x7	30±0.5	26.5 ^{+0.8} -0.2	7 ⁺⁰ -0.6	20 ^{+0.5} -0.3	11 ⁺⁰ -0.7	16 ^{+0.5} -0
EE-30x11	30±0.5	26.5 ^{+0.8} -0.2	11 ⁺⁰ -0.7	20 ^{+0.5} -0.3	11 ⁺⁰ -0.7	16 ^{+0.5} -0
EEL-30x11	30±0.5	42.6±0.5	11 ⁺⁰ -0.7	20 ^{+0.7} -0	11 ⁺⁰ -0.7	32.6±0.5
EE-30x30x7	30 ^{+0.8} -0.6	30.4 ⁺⁰ -0.8	7.3 ⁺⁰ -0.5	19.5 ^{+0.8} -0	7.2 ⁺⁰ -0.7	19.4 ^{+1.2} -0
EE-35x10	35±0.5	29.7±0.5	10 ⁺⁰ -0.5	25.5±0.5	10.3 ⁺⁰ -0.5	18.2±0.3
EE-35	35±0.5	29.7±0.5	12 ⁺⁰ -0.5	25.5±0.5	10.3 ⁺⁰ -0.5	18.2±0.3
EEL-35	35±0.5	48.4±0.6	12 ⁺⁰ -0.5	25.5±0.5	10.3 ⁺⁰ -0.5	36.4±0.6
EE-40	40±0.6	34.7±0.6	12 ⁺⁰ -0.7	28±0.5	11.7±0.3	20.6±0.3
EE-42x15	42 ^{+1.3} -0.7	42.4 ^{+0.4} -0.8	15.2±0.5	29.5 ^{+1.7} -0	12.2 ⁺⁰ -0.5	29.6 ^{+1.4} -0
EE-42x20	42 ^{+1.3} -0.7	42.4 ^{+0.4} -0.8	20 ⁺⁰ -1.0	29.5 ^{+1.7} -0	12.2 ⁺⁰ -0.5	29.6 ^{+1.4} -0

EE FERRITE CORES

ITEM	ALnH±25%								
	JP30	JP40	J2M	J2	J3	J4	J5	J6	J7
EE-5		200 min	200 min						
EE-8.3				650	750				
EE-10	900	850		1000					
EE-10X3		750		970					
EE-12.6				1300					
EE-13		1100	1100	1250	1400	1600			
EE-16		1150	1150	1300	1500	1700			
EEL-16	1000	800		1200					
EES-16		1250	1200	1400	1600	1800			
EE-19		1300	1300	1500	1750	2000			
EEL-19		900		1100	1300	1550			
EE-20				1500					
EE-22		2000		2100	2500				
EE-25				2200					
EE-25.4x6.35		2000	2000	2300	2500	3000	3500		
EE-25.4x9.53		2600							
EEL-25.4				1600					
EEL-26.4				1700					
EE-28		4300		4800	5500				
EE-30x11		4400		4900					
EE-30x30x7		2100	2100	2500	3000				
EE-35x10				4100					
EE-35x12				4800	5500	6300			
EE-40				5000	6100				
EE-42x15			4000	5000					
EE-42x20			4700	7000					